

REPUBLIC OF BULGARIA
MINISTRY OF THE ENVIRONMENT AND WATER

BASIN DIRECTORATE "EASTERN BLACK SEA REGION"

Ref. No. 3ДОН-01-09 (1)

Classification level: I(TLP-GREEN)

Plovdiv 31.01.2025

TO

MS NINA STOYANOVA

MANAGER OF ECO-STIM EOOD

6 Lyulin Residential Complex, Block 615, Entrance B, Apartment 60 SOFIA

CITY OF SOFIA

e-mail ecostim@gmail.com

Re: *Access to public information.*

Dear Ms. Stoyanova,

Please find attached Decision No. ZDOI-01-9/..... 2025 for the provision of access to public information, as well as the information you requested, in the attachment.

If you have any questions or require further clarification, please contact Zoya Grigorova, Senior Expert at the PUV Department, on tel.: 032 604 750 or by email at: bd_plovdivCaearbd.bg.

Yours sincerely

VASIL UZUNOV

Director of the Basin Directorate

REPUBLIC OF BULGARIA

MINISTRY OF THE ENVIRONMENT AND WATER

BASIN DIRECTORATE "EASTERN BLACK SEA REGION"

DECISION TO PROVIDE ACCESS TO PUBLIC INFORMATION No. ZDOPI-01-9/...?±.£.!..... 2025

The Basin Directorate "Eastern Black Sea Region" (BD EBR) has received a request for access to information under the Access to Public Information Act (APIA) with ref. No. ZDOI-01-9/22.01.2025, per. No. 1791 in the Register of requests for access to public information and/or reuse of public sector information, from Ms. Nina Stoyanova, manager of Eco-Stim Ltd., with the following correspondence address: Sofia, Lyulin residential district No. 6, block 615, entrance V, apartment 60, contact telephone number 0899914155, and email address Lyulin residential district No. 6, block 615, entrance V, apartment 60. Contact telephone number 0899914155 and e-mail: ecostim@gmail.com

The application requires information to be provided on:

"7. Military sites within the meaning of the Water Act, falling within the perimeter of a future investment proposal, whose location is given in km format and coordinates, as well as within a radius of two km from this perimeter:

2. Sanitary protection zones falling within the perimeter of a future investment proposal, whose location is given in km format and with coordinates, as well as within a radius of up to two km from this perimeter:

3. Water sources for drinking and domestic water supply falling within the perimeter of a future investment proposal, whose location is given in KML format and with coordinates, as well as within a radius of up to two km from this perimeter:

4. Water protection zones pursuant to Article 19a, paragraph I of the Water Act, falling within the perimeter of the future IP, whose location is given in KML format and with coordinates, as well as within a radius of up to two km from this perimeter:

5. Future zones I and I/I of the SOWZ of nearby water sources for drinking and domestic water supply to the population, whose location is given in KML format and with coordinates, as well as within a radius of up to two km from this contour. "

The request has been assessed. It has been established that the application contains the necessary information, in accordance with Article 25. para. 1 of the Access to Public Information Act (APIA) and that there are no grounds specified in Art. 37 of the APIA and Art. 20 of the Environmental Protection Act (EPA) for refusing access, therefore access to the requested public information should be provided.

In view of the above, pursuant to Article 17 and Article 26(1) of the EPA in conjunction with Articles 28, 34, and 35 of the APIA.

I DECIDE:

I grant access to the requested public information and/or to the requested public information in the appendix "Information under the Access to Public Information Act," setting the following parameters:

1. Degree of access provided: **full access.**
 2. Deadline for providing access: **within 30 days of receiving the decision.**
 3. Place of access: the information shall be sent to the e-mail address for correspondence of **Eco-Stim EOOD** specified in the request;
 4. Form of access: **copy by email;**
 5. Costs **and** grounds for determining the cost of providing access: **BGN 0.**
-

The decision may be appealed under the Administrative Procedure Code within 14 days of its notification to the interested parties through the Director of the BDIBR before the Administrative Court - Sofia City.

Yours sincerely

VASIL UZUNOV

REPUBLIC OF BULGARIA

MINISTRY OF THE ENVIRONMENT AND WATER

BASIN DIRECTORATE "EASTERN BLACK SEA REGION"

**INFORMATION UNDER No. ZDOU-01-9/22.01.2025
TO THE ATTENTION OF MS NINA STOYANOVA
MANAGER OF ECO-STIL EOOD**

In connection with the request for access to public information, ref. No. ZDOI-01-9/22.01.2025, per. No. 1791 from the Register of requests for access to public information. I am providing you with the information available in the IBZ database:

Regarding point 1 of the request:

Layer "PeKH.shp" - obtained as a result of the project "Integrated Water Management in the Republic of Bulgaria", implemented by the Government of Japan through the Japan International Cooperation Agency ("JICA"). The project data includes all rivers in the country at a scale of 1:100,000.

Layer "Water bodies.shp" - extract from a cadastral map.

The data provided covers the scope of the investment proposal specified in the application, including a 2 km buffer zone.

The data is in ESRI Shapefile format, in the WGS 1984 coordinate system. UTM projection 35N.

With regard to point 2 of the application:

The contour of the future investment proposal according to the specified coordinates does not fall within the scope of the sanitary protection zones established by Ordinance No. 3 of 16.10.2000 on the conditions and procedure for the study, design, approval, and operation of sanitary protection zones around water sources and facilities for drinking water supply and around mineral water sources used for therapeutic, prophylactic, drinking, and hygiene needs, or in procedure. There is also no sanitary protection zone within a 2 km radius of the contour.

With regard to point 3 of the application:

The specified 2 km radius includes a shaft well at PS "Gugutka" and a catchment at PS "Rozino" for drinking water supply, owned by "Water Supply and Sewerage" EOOD - Haskovo. Regarding point 4 of the application:

With regard to point 4 of the application:

The area falls entirely within water protection zone 33 "Rhodopes - East" with code BG0001032, designated in accordance with Article 119a(1)(5) of the Water Act (WA). It is included in Section 3, point 3.5.1. of the RBMP of the IBR, and almost the entire area falls within water protection zone 33 "Biala Reka" with code BG0002019, designated in accordance with Article 119a, paragraph 1, item 5 of the WA, included in Section 3, point 3.5.2. of the RBMP of the IBR.

All groundwater bodies are designated as water protection zones in accordance with Article 119a, paragraph 1, item 1 of the Water Act. included in Section 3, point 3.1.2 of the RBMP of the IBR. Part of the area falls within a vulnerable water protection zone designated under Article 119a, paragraph 1, item Za of the Water Act, included in Section 3, point 3.3.1 of the RBMP of the IBR.

Approximately 1600 m south of the perimeter of the area is a water protection zone, Protected Area "Hambar Dere" with code 137, designated in accordance with Article 119a, paragraph 1, item 5 of the Water Act, included in Section 3, point 3.5.3 of the RBMP of the IBR.

Regarding point 5 of the application:

At present, we have no information about the existence of future P-ri or 111 belts of the SOUZ on nearby water sources for drinking and domestic water supply.

Yours sincerely,

VASIL UZUNOV

Director of the East Aegean Sea Basin Directorate